



Miami-Dade Fire Rescue Department
Application for Open Burning Permit
(Print All Information)

Permit Fee Selection:

- ☐ **Annual** (Multiple Sites six)
 ☐ Agricultural only: \$315.00
- ☐ **30 Day** (Single Site)
 ☐ 1-5 piles/cells: \$95.00
 ☐ Each pile/cell over 5: \$32.00
(NO WEEKEND BURNING)

Permit Fee:

Please make check or money order
payable to the **Board of County
Commissioners** and send to:

Miami-Dade Fire Prevention
9300 N.W. 41 St. (786-331-4800)
Miami, Florida 33178

Applicant Information:

Name of Applicant: _____

Property Folio#: _____

Business Name: _____

Business Address: _____

City, State, Zip Code: _____

Contact Phone Number: _____

Burn Site Information:

(NO WEEKEND BURNING)

Exact Location of Burn Site(s):

_____	_____
_____	_____
_____	_____

Number of Piles/Cells: _____ Pile Size: _____

Total Number of Acres to be Burned (Annual only): _____

Fire Control Equipment and Supplies: _____

Type of Water Supply Available: _____

Requirements which must be agreed upon prior to inspection.

An inspection will be preformed by the fire prevention inspector. A permit will not be issued without an approved inspection of the burn site performed by the Fire Prevention Division (786-331-4800). A check/money order must be included with the application for burn permit. **An inspection will not be conducted until payment is rendered.** (A pre-inspection is required prior to issuance of any burn permit)

Note: Please check all applicable areas. All items relating to each applicable section must be complied with to obtain **and retain** a permit. Additional fees will be imposed if additional inspections are required.

General

- ☐ There will be no burning of residential trash, garbage, construction debris, leaves, cuttings, yard trimmings, copper wire, tree stumps, plastic, pallets, etc.
- ☐ There are no plastics mixed with the vegetation to be burned
- ☐ There will be no debris transported into any burn site
- ☐ The Fire Communication Office (305-596-8575) will be called each day prior to burning for approval
- ☐ Burning will not begin until after 9:00 AM
- ☐ There will be no visible signs of combustion by 5:00 pm (except approved bonfires)
- ☐ All reasonable precautions will be taken to prevent excessive visible emissions and odors (public nuisance) during burning
- ☐ Burning will only take place when wind direction and speed will not adversely affect visibility of public roads (smoke)
- ☐ All required equipment and water supplies will be on site and operational for the duration of the burn
- ☐ The burn will be supervised and constantly attended
- ☐ The burn permit will be kept on the burn site while burning

Bonfires

- ☐ All public roads are at least one hundred (100) feet away from burn site
- ☐ All occupied buildings are at least three hundred (300) feet away from burn site
- ☐ Pile size will not be greater than five(5) feet high, long, or wide
- ☐ No utility lines are located overhead

Polyethylene Mulch Plastic Burning

- ☐ All occupied buildings are at least three hundred (300) feet away from burn site
- ☐ All public roads are at least one hundred (100) feet away from burn site
- ☐ Vegetation has been cleared around piles
- ☐ Pile sizes are not greater than five (5) feet high, long, or wide
- ☐ Documentation supporting polyethylene string material composition will be available upon request if the string is to be burned with the polyethylene mulch plastic

Land Clearing Burning

- ☐ All occupied buildings are at least three hundred (300) feet away from burn site (exception: When using an air curtain incinerator, occupied buildings will be at least two hundred (200) feet away)
- ☐ All public roads are at least three hundred (300) feet away from burn site (exception: When using an air curtain incinerator, public roads will be at least one hundred (100) feet away)
- ☐ Vegetation has been cleared around piles
- ☐ Pile sizes are not greater than twenty (20) feet high, long, or wide
- ☐ Piles are spaced at least fifty (50) feet apart

Air Curtain Incineration Burning

- ☐ The pit dimensions are 8-15 feet deep, no more than 12 feet wide, and no longer than the length of the manifold
- ☐ The materials to be burned are only trees, logs, large brush, stumps free of soil, and approved vegetative trash
- ☐ Waste oil, chemicals, and gasoline will not be used to start or maintain burning
- ☐ Material to be burned will not protrude above the air curtain
- ☐ The air curtain incinerator will have a Miami-Dade DERM permit (exception: under 30 calendar days of burning)

Please note: Failure to comply with above conditions/rules will result in a citation or revocation of burn permit and forfeiture of fees.

Signature of Applicant: _____ **Date:** _____